





NSM Number Facts Calculation Strategies								
One More, One Less 1 2 3 4 5 6 1 2 3 4 5 6	When we add one, we get the next counting number. When we subtract one, we get the previous counting number (e.g. $5 - 1 = 4$).	Number Neighbours: Spot the Difference	Adjacent numbers have a difference of 1. Adjacent odds and evens have a difference of 2. Spot number neighbours (adjacent, odds or evens) to solve subtractions of adjacent numbers (e.g. $5 - 4 = 1$), of adjacent odds (e.g. $9 - 7 = 2$) or adjacent evens (e.g. $6 - 4 = 2$)					
Two More, Two Less: Think Odds and Evens \downarrow^{+2} \downarrow^{+2} \downarrow^{+2} \downarrow^{+2} \downarrow^{+2} \downarrow^{-2}	If we add two to a number, we go from odd to next odd or even to next even. If we subtract two from a number, we go from odd to previous odd or even to previous even.	7 Tree and 9 Square	Use these visual images to remember addition and subtractions fact families that children can find tricky. For example, visualising the 7 tree helps remember that $7 - 3 = 4$. Visualising the 9 square helps remember that $3 + 6 = 9$.					
Number 10 Fact Families (10) (?) (?)	Go beyond just recalling the pairs of numbers that add to 10. Make sure that we can also spot additions and subtractions which we can use number bonds to 10 to solve.	Ten and A Bit	The numbers $11 - 20$ are made up of 'Ten and a Bit'. Recognising and understanding the 'Ten and a Bit' structure of these numbers enables addition and subtraction facts involving their constituent parts (e.g. 3 + 10 = 13, 17 - 7 = 10, 12 - 10 = 2).					
Five and A Bit	The numbers 6, 7, 8 and 9 are made up of 'five and a bit'. This can be shown on hands, and supports decomposition of these numbers into their five and a bit parts (e.g. $5 + 3 = 8$, $9 - 5 = 4$).	Make Ten and Then	Additions which cross the 10 boundary can be calculated by 'Making Ten' first, and then adding on the remaining amount (e.g. 8 + 6 can be calculated by thinking '8 + 2 = 10 and 4 more makes 14'). The same strategy can be applied to subtractions through 10.					
Know about 0	When we add 0 to or subtract 0 from another number, the total remains the same. If we subtract a number from itself, the difference is 0.	Adjust It	Any addition and subtraction can be calculated by adjusting from a fact you know already, (e.g. 6 + 9 is one less than 6 + 10).					
Doubles and Near Doubles	Memorise doubles of numbers to 10, using a visual approach. Then use these known double facts to calculate near doubles and hidden doubles. Once we know $6 + 6 = 12$ then $6 + 7$ and $5 + 7$ is easy.	Swap It 1 + 6	When the order of two numbers being added (addends) is exchanged the total remains the same. E.g. 1 + 8 = 8 + 1. Sometimes reversing the order of the two addends makes addition easier to think about conceptually.					


ADDITION




























SUBTRACTION

















Addend - A number to be added to another.

Aggregation - combining two or more quantities or measures to find a total.

Augmentation - increasing a quantity or measure by another quantity.

Commutative – numbers can be added in any order.

Complement – in addition, a number and its complement make a total e.g. 300 is the complement to 700 to make 1,000

Difference – the numerical difference between two numbers is found by comparing the quantity in each group.

Exchange – Change a number or expression for another of an equal value.

Minuend – A quantity or number from which another is subtracted.

Partitioning – Splitting a number into its component parts.

Reduction – Subtraction as take away.


Subitise – Instantly recognise the number of objects in a small group without needing to count.


Subtrahend - A number to be subtracted from another.

Sum - The result of an addition.

Total – The aggregate or the sum found by addition.


MULTIPLICATION





Teachers may decide to first look at the expanded column method before moving on to the short multiplication method. The place value counters should be used to support the understanding of the method rather than supporting the multiplication, as children should use times table knowledge.


Year: 3/4



Skill: Multiply 4-digi	t nur	nbe	rs by	y 1-c	ligit numbers	Year: 5
	00 100 00 100 00 100 00 100 00 100 00 100	© () () () () () () () () () () () () ()	Tens 10 10 10 10 10 10 10 10 10 10 10 10 10	,47	Dres 1 1 1 1 1 1 1 1	When multiplying 4- digit numbers, place value counters are the best manipulative to use to support children in their understanding of the formal written method. If children are multiplying larger numbers and
	Th	н	Т	0		struggling with their
	1	8	2	6		times tables,
×				3		encourage the use of multiplication grids so
	5	4	7	8		children can focus on
	2		1		-	the use of the written method.

Skill: Multiply 2-digit numbers by 2-digit numbers

Year: 5



When multiplying a multi-digit number by 2-digits, use the area model to help children understand the size of the numbers they are using. This links to finding the area of a rectangle by finding the space covered by the Base 10. The grid method matches the area model as an initial written method before moving on to the formal written multiplication method.

Т

2

3

2

6

8

0

2

1

2


0


2


Skill: Multiply 3-digit nun	Year: 5				
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$			Children can continue to use the area model when multiplying 3- digits by 2-digits. Place value counters become more efficient to use but Base 10 can be used to highlight the size of numbers. Encourage children to move towards the		
	×	200	30	4	formal written method, seeing the
	30	6,000	900	120	links with the grid
234 × 32 = 7,488	2	400	60	8	method.


Skill: Multipl	Year: 5/6								
	TTh	Th	Н	т	0		When multiplying 4- digits by 2-digits, children should be		
		2	7	3	9		confident in the written method. If they are still struggling with times		
	×			2	8				
	2	1 5	9 3	1 7	2		tables, provide multiplication grids to support when they are focusing on the use of the method.		
	5 1	4	7 1	8	0				
	7	6	6	9	2		Consider where		
2,739 × 28 =	exchanged digits are placed and make sure this is consistent.								

DIVISION













Skill: Divide	Year: 3/4		
Skill: Divide	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	git (sharing with remainders) 53 13 13 13 13 1 4 = 13 r1 000000	When dividing numbers with remainders, children can use Base 10 and place value counters to exchange one ten for ten ones. Starting with the equipment outside the place value grid will highlight remainders, as they
$\begin{array}{c} 40 \\ +4 \\ 12 \\ 10 \\ 3 \end{array}$		Image: Construction of the second	will be left outside the grid once the equal groups have been made. Flexible partitioning in a part-whole model supports this method.









Skill: Divide multi digits by	Year: 6					
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$		432 ÷ 12 = 36 When children begin to divide up to 4- digits by 2-digits, written methods become the most accurate as concrete and pictorial representations become less effective Children can write ou multiples to support				
		0	4	8	9	their calculations with larger remainders.
7,335 ÷ 15 = 489	Children will also solve problems with remainders where the					
15 30 45 60 75	90	105	120	135	150	quotient can be rounded as appropriate.

Array – An ordered collection of counters, cubes or other item in rows and columns.

Commutative – Numbers can be multiplied in any order.

Dividend – In division, the number that is divided.

Divisor – In division, the number by which another is divided.

Exchange – Change a number or expression for another of an equal value.

Factor – A number that multiplies with another to make a product.

Multiplicand – In multiplication, a number to be multiplied by another.


Partitioning – Splitting a number into its component parts.


Product – The result of multiplying one number by another.


Quotient - The result of a division


Remainder – The amount left over after a division when the divisor is not a factor of the dividend.

Scaling – Enlarging or reducing a number by a given amount, called the scale factor











that allow them to partition into tens and


Straws, Base 10 and place value counters can all be used to share numbers into


Part-whole models can provide children with a clear written method that matches the concrete representation.


Fraction - Addition and Subtraction














Year 6 - Fractions

1. Multiply simple pairs of proper fractions, writing the answer in its simplest form [for example, $1/4 \times 1/2 = 1/8$]




2. Divide proper fractions by whole numbers [for example, 1/3 ÷ 2 =1/6]





Year 6 - Ratio

1. Pupils use numicon to represent ratio and understand it's concept.



Stem sentence:

For every **<u>1 orange flower</u>** there are **<u>2 purple flowers</u>**.

The number of **<u>purple</u>** flowers is <u>2</u> times the number of orange flower.

The ratio of <u>orange flower</u> to <u>purple flower</u> is one to two (1 : 2).